

लालबन्दी नगरपालिका

नगर कार्यपालिकाको कार्यालय

लालबन्दी, सर्लाही मधेश प्रदेश, नेपाल

एम्बुलेन्स खरिद सम्बन्धी सूचना

(प्रथम पटक प्रकासित मिति : २०८०/०४/१५)

यस नगरपालिका अन्तर्गत प्राथमिक स्वास्थ्य केन्द्र, लालबन्दीका लागि आवश्यक १ (एक) थान एम्बुलेन्स सावंजीनक खरिद ऐन, २०६३ (संशोधित सहित) को दफा द को उपदफा (१) (क) (द) तथा सावंजीनक खरिद निमायावली, २०६४ (संशोधित सहित) को नियम ३१ (ख) बमोजिम एम्बुलेन्स उत्पादक (Manufacturer) कम्पनी वा सो को आधिकारिक विकेता (Importer) हरू बीच प्रतिस्पर्धा गराई क्याटलग सिपड़ (Catalogue Shopping) विधिबाट खरिद गर्नुपर्ने भएकोले सावंजीनक खरिद निमायवली, २०६४ को नियम ३१ (ख) को उपनियम (२) अनुसार संलग्न स्पेसिफिकेशन अनुसारको एम्बुलेन्स बिकी गर्न चाहने उत्पादक (Manufacturer) वा आधिकारिक विकेता (Importer) हरूले यो सूचना प्रकाशित भएको मितिले ७ (सात) दिनिधित्र आवश्यक कागजात सहित कार्यालय समयभित्र प्रस्ताव पेश गर्नु हुन सम्बन्धित सबैको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ । विस्तृत स्पेसिफिकेशन यस कार्यालयको website: www.lalbandimun.gov.np बाट डाउनलोड गर्न सिकने छ ।

प्रस्तावकर्ताले पेश मर्नुपर्ने आवश्यक कागजातहरू :

- नवीकरण गरिएको फर्म वा कम्पनी दर्ता प्रमाणपत्रको प्रतिलिपी ।
- २. मृल्य अभिवद्धि कर (VAT) दतां प्रमाण पत्रको प्रतलिपी ।
- आ.व. २०७६/०७९ को करचक्ता प्रमाण पत्रको प्रतिलिपी ।
- ४. खरिद सम्बन्धी कारवाहीमा नपरेको स्व:घोषणा पत्र ।
- प्र. Technical Specification प्रमाणित गर्ने रंगिन बोसर (Catalogue)।
- आफ्नो माल सामानको बजार मुख्य प्रमाणित गर्ने कागाजत (पित्रकामा प्रकाशित भएको वा कम्पनीको लेटर प्याङमा अधिकारिक व्यक्तिले सहीछाप गरी प्रमाणित गरेको कागजात: ।
- Warranty वा Guarantee सम्बन्धित कागजातहरु ।
- इ. यस कार्यालयलाई सम्बोधन गरी लेखिएको सम्बन्धित उत्पादकले प्रदान गरेको Manufacturers Authorization letter ।
- ९. कार्यालयबाट जारी भएको Techincal Specification भरि पेश गर्नुपर्ने छ ।

नि. प्रमुख प्रशासकीय अधिकृत

Technical Specification

CARMINITED THE STATE OF THE STA

Ambulance 2400 ± 5 CC

Nos. single Unit

	-		Offered Specification
No.	Criteria	Required Specification Hard Top Jeep, 4WD, Right Hand Drive model suitable	Make:
	General	a trace venicle weight of the	Manufactured Year:
		to the Heart lace than Jaill Kos and Shan have I	Model:
		seating capacity for at least driver, co-passenger and	Country of Origin:
		seating capacity for at least direct, es passes	Country of Origin.
		patient. Diesel Engine, developing maximum rated power	
2.	Engine	output not less than 60 BHP & maximum torque not	Cylinder, Stroke: Volume (CC), Valve: Power, Torque:
		less than 110 NM at governed RPM, Engine	
		Displacement more than 2400 CC, Engine fully	
		equipped with accessories for efficient full load	
		operation of the vehicle at operating conditions.	
		Not more than 2800mm	
3.	Wheel Base	Not more than 4500mm	
4.	Overall		
	Length	The Emission standard of the vehicle should comply	Emission Standard:
5.	Emission	Last the lotest Webiele Mass Emission Standard Of	
	Standard	Nepal which is to be certified by Department of	
		T Management Nepal.	
	1	To be lade water temperature, fuel, off pressure,	
6.	Gauges	transmission gauge etc. as necessary for efficient	
THE ST		operation and maintenance.	
	Clutch	Single Der Plate	
7.	Transmission	Manual shift at 5 forward and one reverse, Hoor	Manual / automatic : 4wd Selector: Manual /Electric
8.	Transmission	and any good through control at driver seat.	-two detector.
		4wd manual or magnetic or electrical shifter with 4wd	
		low and high option	
0	Fuel		System: CI NA/C I Turbo / DICOR/ CRDI
9.		Ignition System: diesel Fueled , CI (Compression	DICOR/CRDI
1 300	ignition	Ignition Engine.	Capacity:
	system and	Tank capacity: Minimum 50 liters.	
	tank	Tank capacity. William 30 distribution	
1	Capacity		
10	Ground	Minimum 165 mm	
10	Clearance		
11.	Suspension	Leaf Springs/ coil springs/ torsion bar/ shock absorbers	S
		at front and rear	
12.	Tyres	Standard Size, Minimum of R15 all-purpose tires	
13.	Steering	Power Steering	
13.	Diverning		(B / 7 - 1 / B /)

Vehicle specification development, Lalbandi Municipality




M341/47 3/18/05/0

			ad Change
4.	Brakes	Front Ventilated Disc type, rear disc/ drum type, hydraulic operated on all wheels, and parking brake dual circuit preferred.	Front: Rear: 4. USE TRINE
15.	Cab	2 side doors and 1 back door, all metallic cab with insulated roof, laminated glass windscreen, front washer and wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and co-passenger. Sun visor, rear view mirror and two side view mirror.	
16.	Chassis & Frame	Heavy duty metal frame	
17.	Essential Accessories	 A. Head light, tail and rear light, reversing light and turn signals. B. Cabin Lights. C. Speedometer/ Odometer. D. One Spare wheel with tyre and tube. E. Suitable jack and handle. F. Seat belt for driver and co-driver. G. Front wind shield defogger H. Flashing Light on top (As per Nepal Standard) I. Anti- Skid floor Equipped with all accessories offered in the standard model but not limited to the above items. J. Portable air compressor for emergency tyre inflation. 	
18.	Emergency Equipment	A. Stethoscope B. B. P. Set C. Torch Light D. Tongue Depressure E. IV Drips F. Cannula and Syringes G. ECG Monitor and Oxygen Monitor H. Intubation Set I. Various Intubation Tubes and Laryngeal Tubes J. Nebulizer Set K. Ambu Bag L. Manual Suction Set M. Cervical Collars N. CPR Board O. Oxygen Supply P. Automated External Defibrillator (AED) Q. Delivery Sets R. Dressing Sets S. Splints T. Catheterizations Sets U. Haemostatic Sets	
19.	Others	A. Washing Equipment	

Vehicle specification development, Lalbandi Municipality

Page 2 of 3





			(/ ())
		B. Foldable Trolly Cum Stretcher C. Saline Stand D. Siren	Fr. dos
20.	Instructions	All signs and instructions in the vehicle shall be in English.	
21.	Manuals	One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.	
22.	Tools	A set of tools as required for general maintenance shall be supplied.	
23.	Colour	2/3 Outer body portion yellow & remaining left/right green & red in Battenberg or chess board design	
24.	Proven Performance	The vehicle offered shall be under standard production by the manufacturer for at least five years.	
25.	Warranty	Manufacturer shall provide a minimum of One year or 20,000 kms which ever earlier after acceptance.	
26.	Delivery	The Single Unit Ambulance shall be delivered to: Office: Lalbandi Municipality, Sarlahi district, Madesh Province, Nepal	Delivery unit :

Note:

a) The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Noncompliance of these major items will result in non-responsiveness of the bid offer.

b) The bidder must submit documentary evidences/ manufacturer declaration showing that he/she meets all the requirements as mentioned in Valuation and Qualification Criteria.

Er. Gokrna Poudel (Mechanical)

Assistant Professor, Department of Mechanical Engineering

School of Engineering, Kathmandu University

Kavrepalanchowk, Nepal

Nepal Engineering Council Registration Number: 1130 "A"